

E40

一体型 3°



E40-SLRA3-110-M67

一体型 CURVE




CV



E40-SLRA6-90 cv

CV: 曲线

壁厚



**■ 注意事项**

- HSK-E 锥柄的刀柄没有附带冷却液导管。如需使用，请向敝司垂询。
- 刀具安装：插入刀具时，请务必将刀具插入比安全记号更深的位置。

安全记号  
壁厚 t  
最短夹持长度 H  
刀具最大插入长度 h

型号	Fig.	φD	φC	t	L	M	L <sub>1</sub>	φC <sub>1</sub>	φC <sub>2</sub>	H	h	kg	N	S	缩略图		
<b>E40-SLSA3- 50-M22</b>	1	3	6	1.5	50	22	8	8.3	20	9	42	0.2	0.7	4.6	1		
- 70-M42					70	42		10.4			62			9.4	2		
- 85-M42					85		23		25		69			0.3	1.1	9.3	3
-110-M67					110	67		13			94				2.2	15	4
<b>-SLRA3- 50-M22</b>	1	3	7.5	2.25	50	22	8	9.8	20	9	42	0.2	0.7	2.8	5		
- 70-M42					70	42		11.9			62				5.3	6	
- 85-M42					85		23		25		69			0.3	1.1	5.4	7
-110-M67					110	67		14.5			94				9	8	
<b>E40-SLSA3.175-50-M22</b>	1	3.175	6.175	1.5	50	22	8	8.5	20	9	42	0.2	0.7	4.4	9		
<b>E40-SLSA4- 50-M22</b>	1	4	7	1.5	50	22	8	9.3	20	12	42	0.2	0.7	3.6	10		
- 70-M42					70	42		11.4			62				7.2	11	
- 85-M42					85		23		25		74			0.3	1.1	7.3	12
-110-M67					110	67		14			99				1.2	11.9	13
<b>-SLRA4- 50-M22</b>	1	4	10	3	50	22	8	12.3	20	12	42	0.2	0.7	1.6	14		
- 70-M42					70	42		14.4			62			0.3		3	15
- 85-M42					85		23		25		69				1.1	3.1	16
-110-M67					110	67		17			94				1.2	5.2	17
<b>-SLSA4- 90 CV</b>	3	4	7	1.5	90	70	—	34	—	12	74	0.3	1.5	2.9	18		
-120 CV					120	100					104			0.4	1.8	6.5	19
-150 CV					150	130					134			0.5	2.4	8.6	20
<b>-SLRA4- 90 CV</b>	3	4	10	3	90	70	—	34	—	12	74	0.4	1.6	2	21		
-120 CV					120	100					104				1.9	4.2	22
<b>E40-SLSA6- 50-M22</b>	1	6	9	1.5	50	22	8	11.3	20	18	39	0.2	0.7	2.2	23		
- 70-M42					70	42		13.4			54				4.7	24	
- 85-M42					85		23		25		69			0.3	1.1	4.9	25
-110-M67					110	67		16			94				1.2	8	26
<b>-SLRA6- 50-M22</b>	1	6	12	3	50	22	8	14.3	26	18	39	0.2	0.7	1.2	27		
- 70-M42					70	42		16.4			54			0.3	0.8	2.3	28
- 85-M42					85		23		25		69				1.2	2.5	29
-110-M67					110	67		19			94			0.4		4.1	30
<b>-SLSA6- 90 CV</b>	3	6	9	1.5	90	70	—	34	—	18	74	0.3	1.6	2.5	31		
-120 CV					120	100					104			0.4	1.9	5.6	32
-150 CV					150	130					134			0.5	2.5	7.7	33
<b>-SLRA6- 90 CV</b>	3	6	13	3.5	90	70	—	34	—	18	74	0.4	1.7	1.7	34		
-120 CV					120	100					104			0.5	2.4	2.6	35

型号	Fig.	φD	φC	t	L	M	L <sub>1</sub>	φC <sub>1</sub>	φC <sub>2</sub>	H	h	Kg	N	S	缩略图
<b>E40-SLSA 8- 60-M22</b>	1	8	11	1.5	60	22	18	13.3	26	24	49	0.3	1	1.5	36
- 80-M42					80	42		15.4			64			3.3	
-100-M42					100	38	25	84	1.5	3.8					
<b>-SLRA 8- 50-M22</b>	1	8	14	3	50	22	8	16.3	26	20	39	0.2	0.7	0.9	39
- 85-M42					85	42		23			18.4			25	
-100-M42					100	38	38	84	0.4	1.5	2.4				
<b>-SLSA 8- 90 CV</b>	3	8	11	1.5	90	70	—	34	—	24	74	0.3	1.7	2.2	42
-120 CV					120	100					104			0.4	
-150 CV					150	130					134	0.5	3	5.1	
<b>-SLRA 8- 90 CV</b>	3	8	16	4	90	70	—	34	—	24	74	0.4	1.8	1.6	45
-120 CV					120	100					104			0.5	
<b>E40-SLSA10- 60-M22</b>	1	10	13	1.5	60	22	18	15.3	26	30	49	0.3	1	1.2	47
- 80-M42					80	42		17.4			64			1.1	
-100-M42					100	38	25	89	1.5	3.1					
<b>-SLRA10- 55-M22</b>	1	10	16	3	55	22	13	18.3	26	25	44	0.3	0.9	0.8	50
- 85-M42					85	42		23			20.4			25	
-100-M42					100	38	38	74	0.4	1.6	2.2				
<b>-SLSA10- 90 CV</b>	3	10	13	1.5	90	70	—	34	—	30	74	0.3	1.7	2	53
-120 CV					120	100					104			0.4	
-150 CV					150	130					134	0.5	3.1	5	
<b>-SLRA10- 90 CV</b>	3	10	19	4.5	90	70	—	34	—	30	74	0.4	2.1	1.1	56
-120 CV					120	100					104			0.5	
<b>E40-SLRA12- 55-M22</b>	1	12	20	4	55	22	13	22.3	26	25	44	0.3	1	0.6	58
- 85-M42					85	42		23			24.4			32	
<b>E40-SLRA16- 55-M22</b>	1	16	26	5	55	22	13	28.3	34	32	44	0.3	1.2	0.4	60
<b>E40-SLRA20- 60-M40</b>	2	20	32	6	60	40	—	34	—	38	49	0.4	1.6	0.4	61

■ 主轴锥孔用 清洁工具  
STAR DUST

型号  
CLT-E40-G2

☎ P.194



DMG MORI  
MITSUI SEIKI  
MATSUURA

HSC 30 linear  
VL30 / VL50  
LS-160 / LX-160 / LF-160  
LV-500


YASUDA  
YAMAZAKI MAZAK  
ROKU-ROKU

YMC650  
UD-400 5X  
VISION/CEGA  
HC series




S=1:4

φ3




φ3.175

**E40-SLSA3.175-50-M22**




φ4


**E40-SLSA4-50-M22**




**E40-SLSA4-70-M42**




**E40-SLSA4-85-M42**




**E40-SLSA4-110-M67**




**E40-SLRA4-50-M22**




**E40-SLRA4-70-M42**




**E40-SLRA4-85-M42**




**E40-SLRA4-110-M67**




**E40-SLSA4-90 CV**




**E40-SLSA4-120 CV**




**E40-SLSA4-150 CV**



**E40-SLRA4-90 CV**




**E40-SLRA4-120 CV**




φ6


**E40-SLSA6-50-M22**




**E40-SLSA6-70-M42**












**E40-SLSA6-85-M42**
















**E40-SLSA6-110-M67**





**φ8**



$\phi 10$  $\phi 12$  $\phi 16$  $\phi 20$ 

**思诚资源**  
www.sczy.com  
高端制造服务商

**深圳思诚资源科技有限公司**  
SHENZHEN SCZY TECHNOLOGY CO.,LTD.

电话/Tel: 0769-22186189

网址/Web: www.sczy.com

邮箱/E-mail: sales@sczy.com

地址/Adr: 广东省东莞市长安镇长青南路1号万科中心1906



微信公众平台